



Coverage

Screen

Easy-Off Clear

Specialty Screen Ink Quick Bake System

Always test ink on substrate prior to production run. Please refer to the SDS for safety precautions.

Description

Finger prints, food and grime all wipe off easily from an Easy-Off surface. Refrigerators, ranges and

dishwashers are good examples of the right place to use Easy-Off clear. It adheres well to

steel, stainless steel, and aluminum. This baking clear requires a conversion temperature of 400F for 4 minutes.

Features Good Adhesion • Excellent slip-resistant · Good chemical resistance

> Exterior Durability Ease of application

• Mill-finished aluminum Anodized · Brushed stainless · Other metals **Substrates** steel

Aluminum

2500-3000 sq.ft. per gallon depending on ink deposit.

200 - 360 polyester monofilament mesh is recommended for most applications.

Bake as a dwell time of 400F for 3 minutes. Cure parameters

Thinners, adhesion promoters and cure accelerators available upon request. **Additives**

Cleaner FXM96 Wash-up

Ink should be stored in a black polyethylene container at 65-70F. Inks previously used for printing runs Storage

should be stored in a separate container to avoid cross contamination. Ink has a minimum shelf life of 6 months from date of manufacture if the above guidelines are followed and there has been nothing added

to the ink.

Contact us today for a current product list and about customizing an ink's look, feel or texture just for you.

The information and recommendations contained in this product information sheet, as well as technical advice otherwise given by representatives of our company, whether verbally or in writing, are based on present knowledge and believed to be accurate. Information is based on technical data which the seller believes to be reliable, and are intended for use by persons having skill and knowledge, at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice, or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent. Company policy of continuous product improvement may change the information contained in this product information sheet. Users are requested to ensure that they follow current recommendation.