



Static Cling

Specialty Screen Ink

UV

Always test ink on substrate prior to production run. Please refer to the MSDS for safety precautions.

Description: Deco-Chem's Static Cling Ink Series is a leader of UV gloss, flat, textured and color coatings for static cling substrates. It's the perfect ink choice for applications involving labels, window graphics, signs and decals. Static Cling ink exhibits outstanding flexibility and adhesion while still maintaining a tough surface.

Features:

- Fast Cure Response
- Detergent Resistant
- Good Adhesion
- Tough
- Water Resistant
- Chemical Resistant
- Outstanding Flexibility

Substrates: • Vinyl • PVC

Coverage: 2,500-4,000 sq/ft. per gallon depending on ink deposit

Application: Use for variety applications

Cure Parameters: Static Cling inks cure when exposed to one medium pressure mercury vapor lamp at 300w/in 50-70fpm. Cure cycles vary depending on color and substrate upon which the coating is being applied. Pretests are recommended to determine the highest processing speeds possible for complete cure.

Additives: DCA117 Photo Initiator, DCA774 Flow Additive, and D-10730 Thinner

Cleaner: FXM96 Wash-Up

Storage: Ink should be stored in a black polyethylene container at room temperature (75°F). Inks previously used for printing runs should be stored in a separate container to avoid cross contamination. Ink has a minimum shelf life of 6 months from date of manufacture if the above guidelines are followed and there has been nothing added to the ink.

Sizes: 1, 2, or 5 Gallon Pails Available

Contact us today for a current product list and about customizing an ink's look, feel or texture just for you.

The information and recommendations contained in this product information sheet, as well as technical advice otherwise given by representatives of our Company, whether verbally or in writing, are based on present knowledge and believed to be accurate. Information is based on technical data which the Seller believes to be reliable, and are intended for use by persons having skill and knowledge, at their own discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from their use by Buyer in whole or in part. Such recommendations, technical advice, or services are not to be taken as a license to operate under or intended to suggest infringement of any existing patent. Company policy of continuous product improvement may change the information contained in this product information sheet. Users are requested to ensure that they follow current recommendations.